

# Birding Ecotours

A stylized white owl with large eyes and black markings on its face, perched on a horizontal line. The owl is centered within a green diamond shape that is part of the 'Birding Ecotours' logo.

## INDIA: NORTHEAST CUSTOM TOUR TRIP REPORT

6 - 16 APRIL 2019

By Andy Walker



*Nothing really prepares you for how immense the **Indian Rhinoceros** really is.*

## Overview

This 10-day custom birdwatching tour of Northeast India commenced in New Delhi on the 7<sup>th</sup> of April 2019 and ended back there on the 16<sup>th</sup> of April 2019. The tour was based on a shortened version of our Northeast India March set-departure tour with modifications to fit the timescale available and target the monotypic Spotted Elachura, the main reason for this custom tour. During this short tour we birded at Nameri Tiger Reserve, the Eaglenest (Lama Camp and Bompu Camp) area, and Kaziranga National Park.

A total of 335 bird species were seen (plus 18 species heard only). The main target bird and main reason for this whole trip was the **Spotted Elachura**, which we saw well. However, by placing ourselves in this part of India we found plenty of other highly sought species such as **White-winged Duck**, **Bugun Liocichla**, **Temminck's Tragopan**, **Ward's Trogon**, **Fire-tailed Myzornis**, **Kalij Pheasant**, **Greater Adjutant**, **Lesser Adjutant**, **Beautiful Nuthatch**, **Himalayan Cutia**, **White-breasted Parrotbill**, **Hoary-headed**, **Rusty-fronted**, and **Streak-throated Barwings**, **Sikkim Wedge-billed Babbler**, **Rufous-throated Wren-Babbler**, **Bar-winged Wren-Babbler**, **Great**, **Wreathed**, and **Oriental Pied Hornbills**, **Red-breasted** and **Blossom-headed Parakeets**, **Spotted**, **Scaly**, **Blue-winged**, **Black-faced**, **Bhutan**, **Striated**, **Rufous-necked**, and **Chestnut-crowned Laughingthrushes**, **Red-faced Liocichla**, **Yellow-rumped Honeyguide**, **Swamp Francolin**, **Indian Grassbird**, **Dusky Eagle-Owl**, **Black-necked Stork**, **Spot-billed Pelican**, **Pallas's Fish Eagle**, **Grey-headed Fish Eagle**, and **Black-breasted** and **Finn's Weavers**.

It was not just all about the birds on this tour, as we found, and really enjoyed some incredible animals, such as the huge, armor-plated, prehistoric-looking **Indian Rhinoceros**, the stately **Asian Elephant**, and a stunning (and rather lengthy) **King Cobra**, with a supporting cast including **Wild Water Buffalo**, **Barasingha** (Swamp Deer), **Hog Deer**, **Arunachal Macaque**, **Capped Langur**, **Smooth-coated Otter**, **Black Giant Squirrel**, and more. Full species lists are provided at the end of this report.

## Detailed Report

### **Day 1, 7<sup>th</sup> April 2019. Arrival into New Delhi**

Everyone arrived in New Delhi during the day ahead of our flight to the northeast the following day.

### **Day 2, 8<sup>th</sup> April 2019. New Delhi to Guwahati, then travel to Nameri Tiger Reserve**

After a delayed flight out of New Delhi we arrived in Guwahati in the afternoon before driving to the Nameri Tiger Reserve area for the night. A stop in Guwahati at the waste facility was an assault on the senses and heartstrings but did give us an incredible opportunity to see both **Greater** and **Lesser Adjutants**, two species of humongous prehistoric and exceedingly ugly creatures, the former being Critically Endangered (BirdLife International). After this quick stop we just picked



up the odd common bird along the way, such as **Black Drongo**, **White-throated Kingfisher**, and **Black Kite**. We arrived at our accommodation in the evening, had a quick dinner, and went to bed.

### Day 3, 9<sup>th</sup> April 2019. Nameri to Lama Camp (Eaglenest)

It was light early, so we were up early too. Well, we were awake before it got light due to the calls of **Oriental Scops Owl**, **Asian Barred Owllet**, **Savanna Nightjar**, **Indian Cuckoo**, and **Asian Koel**. We had a nice pre-breakfast birding in the grounds of our accommodation, finding numerous birds. The best of these included a pair of **Great Hornbills** at their nest, plenty of **Red-breasted Parakeets**, **Yellow-footed Green Pigeon**, **Common Hill Myna**, **Great Myna**, **Chestnut-tailed Starling**, **Spotted Owllet** (as well as seeing the **Asian Barred Owllet**), **Scarlet-backed Flowerpecker**, and **Black-hooded Oriole**.



*Spotted Owllet is a common species but always nice to see.*

After breakfast we started the long drive to Lama Camp. We made several stops along the way, finding **Verditer Flycatcher**, **Blue Whistling Thrush**, **Grey-throated Babbler**, **Black Eagle**, **White-naped Yuhina**, **Streaked Spiderhunter**, **Plumbeous Water Redstart**, **Lemon-rumped Warbler**, **Ashy Drongo**, **Orange-bellied Leafbird**, and **White-throated Fantail**.

Once we arrived near the camp we bumped into a mixed-species flock, which included **Green-backed Tit**, **Black-throated Bushtit**, **Buff-barred**, **Blyth's Leaf**, **Hume's Leaf**, and **Chestnut-crowned Warblers**, **Chestnut-tailed Minla**, **Red-tailed Minla**, and **Grey-headed Canary-flycatcher**. Nearby we also saw **Brown-flanked Bush Warbler** and **Fire-breasted Flowerpecker**.

On arrival at the camp we were unfortunately met by low cloud and rain, which substantially hindered our birding. We did, however, see a few birds, such as **Grey-headed Bullfinch**, **Himalayan Bluetail**, **Olive-backed Pipit**, **Chestnut-bellied Rock Thrush**, **Grey-chinned Minivet**, **Yellow-cheeked Tit**, and **Beautiful Sibia**, while several species of fulvettas, laughingthrushes, and flycatchers were heard calling but would not come out, unsurprising given the weather. An early night beckoned, and we hoped for decent weather the following morning.

#### Day 4, 10<sup>th</sup> April 2019. Lama Camp to Bompu Camp (Eaglenest)

We spent the morning birding around the Lama Camp area. Although we were unable to find any elachuras we did find a number of highly sought-after species, such as the Critically Endangered (BirdLife International) **Bugun Liocichla** (an endemic laughingthrush found only in the Eaglenest area). While walking here we found **Bhutan**, **Scaly**, **Blue-winged**, **Striated**, and **Chestnut-crowned Laughingthrushes**, **Red-faced Liocichla**, **Streak-breasted Scimitar Babbler**, **Beautiful Sibia**, **Whiskered Yuhina**, **Streak-throated Barwing**, **Rusty-fronted Barwing**, **Bar-throated Minla**, **Red-tailed Minla**, and **Striated Bulbul**. Both **Red-headed** and **Grey-headed Bullfinches** were found feeding in thistle seed heads, and we kept bumping into a mixed flock containing **Ashy-throated**, **Buff-barred**, **Yellow-browed**, **Blyth's Leaf**, and **Lemon-rumped Warblers**, **Black-throated Bushtit**, **Yellow-cheeked** and **Green-backed Tits**, **White-throated Fantail**, **Green-tailed Sunbird**, **Black-faced** and **Grey-cheeked Warblers**, **Rufous-bellied** and **Crimson-breasted Woodpeckers**, **Short-billed Minivet**, **Blyth's Shrike-babbler**, **Little Bunting**, **White-tailed Nuthatch**, **Grey-winged Blackbird**, and **Rufous-breasted Accentor**.



*Bugun Liocichla*, a Critically Endangered (BirdLife International), range-restricted endemic gave us some good views as we searched for Spotted Elachura.



After lunch we drove to Bompu Camp, our base for the night. Along the way we noted **Alpine Thrush** and a pair of **Kalij Pheasants**, with **Eurasian Hoopoe** present in the camp grounds as well as **White-collared Blackbird**.

We set off walking from the camp, heard several species of wren-babbler and managed to get brief views of a couple, namely **Rufous-throated Wren-Babbler** and **Scaly-breasted Cupwing**. We also heard **Spotted Elachura** but were unable to call it in close enough to see. The visibility was, as during the previous afternoon, terrible. Through the mist we did see **Beautiful Nuthatch** (it looked very nice but it was hard to do it justice), **White-naped Yuhina**, **Yellow-throated Fulvetta**, **Slaty-bellied Tesia**, **Lesser Shortwing**, **Great Barbet**, **Mountain Imperial Pigeon**, **Yellow-bellied Fantail**, **Sultan Tit**, **Himalayan Cutia**, **Golden Babbler**, and **Slender-billed Scimitar Babbler**.

### Day 5, 11<sup>th</sup> April 2019. Bompu Camp to Lama Camp (Eaglenest)

We awoke early to a glorious morning of clear blue sky with the sun about to rise. After a quick breakfast we started near the campsite for our main target bird of the trip and our best realistic chance to find one in the early morning - tense! We set off in nervous anticipation by car with the windows down, hoping to hear the distinctive call we'd been hoping for, and suddenly about a kilometer away from our base there it was, singing! Breaks on, we jumped out of the car and got into position. The bird then jumped up and flew across the road, where it proceeded to move stealthily through the vegetation, momentarily pausing to allow us all that hoped-for view as it sang at full volume. We were watching a **Spotted Elachura**! The excitement and relief were palpable throughout this small team. Full of joy we headed back to camp to continue birding for a few hours. We could enjoy ourselves a bit more now!



*Spotted Elachura, the main target species of the trip, was firmly in the bag, and we were all overjoyed!*

We found **White-collared Blackbird**, **Golden-naped Finch**, and **Long-tailed Minivet** in the campsite, with **Sikkim Wedge-billed Wren-Babbler**, **Rufous-throated Wren-Babbler**, **White-breasted Parrotbill**, and **Rusty-fronted Barwing** all seen well in the adjacent forest.

We started our drive back to Lama Camp and stopped for birding along the way at differing altitudes. These stops produced some excellent birds (as well as scenic views and glorious flowering magnolia trees), with **Himalayan Cutia**, **Crimson-breasted Woodpecker**, **Coral-billed Scimitar Babbler**, **Slender-billed Scimitar Babbler**, **Striated Laughingthrush**, **Beautiful Sibia**, and **Large Niltava** seen at one such stop. Another one gave us **Black-eared Shrike-babbler**, **Yellow-browed Tit**, **Chestnut-headed Tesia**, **Yellow-bellied Fantail**, **Chestnut-crowned Warbler**, **White-throated Laughingthrush**, **Red-tailed Minla**, and **Rufous-winged Fulvetta**. And our final stop (apart from an emergency stop for a **Common Hill Partridge** sitting in the road!) resulted in fantastic views of **Bar-winged Wren-Babbler** (a really beautiful bird), **Stripe-throated** and **Rufous-vented Yuhinas**, **Hoary-throated Barwing**, and a stunning fly-by of a **Temminck's Tragopan**!



*Bar-winged Wren-Babbler was one of a number of wren-babblers seen during this section of the tour, and this individual showed very well.*

On arrival back at Lama Camp we enjoyed a relaxing dinner and took in some of the sights and sounds around the campsite, such as **Large Hawk-Cuckoo**, **Green-backed Tit**, **Bhutan Laughingthrush**, **Rusty-fronted Barwing**, and **Rufous-bellied Woodpecker**.

Our afternoon birding was along some of the higher ridgelines and lower down in the valley. One of the big highlights of the early afternoon was **Yellow-rumped Honeyguide**. We also found a mixed flock that contained **Green Shrike Babbler**, **Sikkim Treecreeper**, **Whistler's Warbler**,



and a few other more common species. We also saw a pair of **Pygmy Flycatchers**, **Spotted Forktail**, and a male **Himalayan Bluetail**. Down near the village we added a gorgeous male **Blue-capped Rock Thrush**, **Large-billed Crow**, and **Long-tailed Shrike**. At dusk we found **Grey Nightjar**, **Hodgson's Frogmouth**, and **Mountain Scops Owl**, thus ending a great day in northeast India, with our main trip target firmly in the bag.

### Day 6, 12<sup>th</sup> April 2019. Lama Camp (Eaglenest) to Nameri Tiger Reserve

This was our final morning birding in the mountains before it was time to drive to Nameri for the night. Another morning session along the Eaglenest pass was rewarding with plenty of new and exciting birds seen, such as **Spotted Laughingthrush**, **Black-faced Laughingthrush**, **Darjeeling Woodpecker**, **Spotted Nutcracker**, **Fire-tailed Myzornis**, **Rufous-vented Yuhina**, **Fire-tailed Sunbird**, and **Yellow-breasted Greenfinch**.



*Spotted Laughingthrush is simply stunning and was one of our favorites from numerous species seen during the tour.*

We dropped into some beautiful forest and rather immediately were watching a gorgeous male **Ward's Trogon**, soon followed by a singing male **Black-headed Shrike Babbler**, a pair of **Chestnut-headed Tesias**, **Large-billed Leaf Warbler**, **Lesser Shortwing**, **Snowy-browed Flycatcher**, **Streak-throated Barwing**, **Beautiful Sibia**, **Chestnut-bellied Rock Thrush**, **Blue Rock Thrush**, **Dark-sided Flycatcher**, and **Yellow-rumped Honeyguide**. We arrived back at Lama Camp for lunch and to pack before our drive back to the lowlands to Nameri, where we arrived in time for dinner and mulled over all the great birds we'd seen in the mountains, particularly the elachura!

**Day 7, 13<sup>th</sup> April 2019. Nameri Tiger Reserve and travel to Kaziranga National Park**

A morning walk in Nameri Tiger Reserve after breakfast was wonderful; however, prior to that we enjoyed most of the species listed for the morning of day 2 again, such as **Great Hornbill** and **Red-breasted Parakeet**, with the addition of a troop of **Capped Langurs** too, beautiful! The walk into Nameri went really well, and we found a pair of the rare **White-winged Ducks**, our main target bird for the area. Plenty of other widespread species were new for our trip, such as **Grey-headed Fish Eagle**, **Great Stone-curlew**, **River Tern**, **Wreathed Hornbill**, **Small Pratincole**, **Sand Lark**, **Bengal Bush Lark**, **White-rumped Shama**, **Pin-tailed Green Pigeon**, **Grey-capped Pygmy Woodpecker**, **Lesser Yellownape**, **Black-crested Bulbul**, **Pied** and **Common Kingfishers**, **Chestnut-headed Bee-eater**, **Ruddy Shelduck**, **Red Junglefowl**, **Green-billed Malkoha**, **Banded Bay Cuckoo**, and **Scarlet Minivet**. Another male **Blue-capped Rock Thrush** was also a good record.



*White-winged Duck can be a tough species to connect with, it is particularly shy, and so we were very happy to find a pair and then were able to sneak up on them to grab a photo!*

After lunch we drove to the Kaziranga area. A brief walk around the local area of the accommodation produced **Indian Cuckoo**, **Crimson Sunbird**, **Common Emerald Dove**, **Alexandrine** and **Blossom-headed Parakeets**, **Striated Swallow**, and **Grey-backed Shrike**.

**Day 8, 14<sup>th</sup> April 2019. Kaziranga National Park**

A pre-breakfast walk yielded a few new trip birds, such as **Siberian Rubythroat**, **Rufous Treepie**, **Nepal House Martin**, **Plaintive Cuckoo**, and **Oriental Pied Hornbill**. A **Blue-naped Pitta** was



heard, but frustratingly a huge thunderstorm rolled in just at that point and then washed out the remainder of the morning. Luckily Assam makes good tea!

The thunderstorm had moved off by the time of our afternoon safari, and in the space of a couple of hours we recorded nearly 100 species! Birds were of course big priorities, as there are several range-restricted species possible here, though the main target was **Indian Rhinoceros**, of which we saw nearly a dozen! They are just magnificent creatures, fully armored living dinosaurs! Other animals observed included **Asian Elephant**, **Wild Water Buffalo**, **Barasingha** (Swamp Deer), **Hog Deer**, and **Wild Boar**, with good, close views of all. Some of the highlight birds during the afternoon included **Swamp Francolin**, **Indian Grassbird**, **Striated Babbler**, **Chestnut-capped Babbler**, **Pallas's Fish Eagle**, **Changeable Hawk-Eagle**, **Grey-headed Fish Eagle**, **Black-breasted Weaver**, **Finn's Weaver**, **Spot-billed Pelican**, **Lesser Coucal**, **Bronze-winged Jacana**, **Black-necked Stork**, **Lesser Adjutant**, **Woolly-necked Stork**, **Black-headed Ibis**, **Oriental Darter**, **Asian Barred Owlet**, **Brown Hawk Owl**, **Blue-tailed Bee-eater**, **Streak-throated Woodpecker**, **Striated Grassbird**, **Eurasian Hoopoe**, **Citrine Wagtail**, and **Cinnamon Bittern**. What a magnificent reserve this is! We left at sunset excited about the next couple of days to further explore this huge area.

#### Day 9, 15<sup>th</sup> April 2019. Kaziranga National Park


We had three highly productive birding sessions during the day and recorded almost 150 species! In the early morning we were rewarded with a small group of **Rufous-necked Laughingthrushes**, a tiny **White-browed Piculet**, several **Baya Weavers**, a pretty singing male **Pale-chinned Blue Flycatcher**, and the rather colorful trio of **Crimson Sunbird**, **Scarlet Minivet**, and **Common Kingfisher**. We also had our first **Yellow-vented Flowerpecker** of the trip, all of them set to the constant calls from several **Indian Cuckoos** and within walking distance of our accommodation.



*Plenty of good views of **Indian Rhinoceros** were had during this section of our tour.*

Our first trip into the national park of the day was exciting for birds and other animals, more great looks at **Indian Rhinoceros** were had, as were views of several **Asian Elephants**. A couple of new animals were noted too, namely **Common Indian Monitor**, **Smooth-coated Otter**, and best of all a huge **King Cobra**! Birding highlights between heavy thunderstorm showers included **Ruddy Shelduck**, **Northern Shoveler**, **Eurasian Wigeon**, **Indian Spot-billed Duck**, **Tufted Duck**, **Temminck's Stint**, **Common Snipe**, **Common Redshank**, **Grey Heron**, **Black-headed Ibis**, **Blue-bearded Bee-eater**, **Clamorous Reed Warbler**, **Golden-headed Cisticola**, **Bluethroat**, **Western Yellow Wagtail**, **Citrine Wagtail**, and **Rosy Pipit**.

After a brief lunch stop we were off again, this time to a large wetland area in a different section of the national park, where we saw several of the above species again, along with many more, such as **Greater and Lesser Adjutants**, **Pheasant-tailed and Bronze-winged Jacanas**, **Greater Painted-snipe**, **Lesser Whistling Duck**, **Cotton Pygmy Goose**, **Garganey**, **Gadwall**, **Northern Pintail**, **Little Grebe**, **Purple Heron**, **Glossy Ibis**, **Common Moorhen**, **Eurasian Coot**, **Grey-headed Swamphen**, **Pied Avocet**, **Grey-headed Lapwing**, **Spotted Redshank**, **Whiskered Tern**, **Western Osprey**, **Spotted Owlet**, **Stork-billed Kingfisher**, **Fulvous-breasted Woodpecker**, **Indian Pitta**, **Common Kestrel**, **Black-winged Kite**, **Velvet-fronted Nuthatch**, and **Pale-billed Flowerpecker**. The number of birds was impressive, and it was even busier than when we usually run this tour in March - it was quite a sight!



*A common and widespread species, **Eurasian Hoopoe** flew in and landed right in front of our safari jeep!*



### Day 10, 16<sup>th</sup> April 2019. Kaziranga National Park, transfer to Guwahati, flight to New Delhi, departure

A final morning was spent in a different sector of the national park, and again we were treated to simply spectacular views of multiple **Indian Rhinoceroses** (see trip report cover image) as well as of more **Asian Elephants** and most of the other mammals listed above. You can't help but feel immensely privileged to see these ancient-looking creatures walking about the swamps.

We saw plenty of exciting birds on this final safari too, with a day-roosting **Dusky Eagle-Owl** being one of the best, along with **Black-necked Stork**, **Woolly-necked Stork**, **Spot-billed Pelican**, **Changeable Hawk-Eagle**, **Pallas's Fish Eagle**, **Grey-headed Fish Eagle**, **Lesser Adjutant**, **Stork-billed Kingfisher**, **Eurasian Hoopoe**, **Blue-tailed Bee-eater**, **Common Emerald Dove**, **Blue-eared**, **Blue-throated**, and **Coppersmith Barbets**, **Small Minivet**, **Common Hill Myna**, **Crimson Sunbird**, **Chestnut-capped Babbler**, and **Striated Grassbird**.

After lunch we drove back to Guwahati for our early-evening flight to New Delhi, where this excellent short tour concluded with our international departure.

#### Bird List - Following IOC (9.1)

Birds 'heard only' are marked with (H) after the common name, all other species were seen. The following notation after the common names is used to show conservation status following BirdLife International: CR = Critically Endangered, EN = Endangered, VU = Vulnerable, NT = Near Threatened. Species in bold text are Indian endemic species.

Common Name	Scientific Name
<b>Ducks, Geese, Swans (Anatidae)</b>	
Lesser Whistling Duck	<i>Dendrocygna javanica</i>
Ruddy Shelduck	<i>Tadorna ferruginea</i>
White-winged Duck - EN	<i>Asarcornis scutulata</i>
Cotton Pygmy Goose	<i>Nettapus coromandelianus</i>
Garganey	<i>Spatula querquedula</i>
Northern Shoveler	<i>Spatula clypeata</i>
Gadwall	<i>Mareca strepera</i>
Eurasian Wigeon	<i>Mareca penelope</i>
Indian Spot-billed Duck	<i>Anas poecilorhyncha</i>
Northern Pintail	<i>Anas acuta</i>
Tufted Duck	<i>Aythya fuligula</i>
<b>Pheasants &amp; Allies (Phasianidae)</b>	
Swamp Francolin - VU	<i>Francolinus gularis</i>
Hill Partridge	<i>Arborophila torqueola</i>

Common Name	Scientific Name
Chestnut-breasted Partridge (H) - VU	<i>Arborophila mandellii</i>
Temminck's Tragopan	<i>Tragopan temminckii</i>
Red Junglefowl	<i>Gallus gallus</i>
Kalij Pheasant	<i>Lophura leucomelanos</i>
Grey Peacock-Pheasant (H)	<i>Polyplectron bicalcaratum</i>
<b>Grebes (Podicipedidae)</b>	
Little Grebe	<i>Tachybaptus ruficollis</i>
<b>Storks (Ciconiidae)</b>	
Asian Openbill	<i>Anastomus oscitans</i>
Woolly-necked Stork - VU	<i>Ciconia episcopus</i>
Black-necked Stork - NT	<i>Ephippiorhynchus asiaticus</i>
Lesser Adjutant - VU	<i>Leptoptilos javanicus</i>
Greater Adjutant - EN	<i>Leptoptilos dubius</i>
<b>Ibises, Spoonbills (Threskiornithidae)</b>	
Black-headed Ibis - NT	<i>Threskiornis melanocephalus</i>
Glossy Ibis	<i>Plegadis falcinellus</i>
<b>Hérons, Bitterns (Ardeidae)</b>	
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>
Indian Pond Heron	<i>Ardeola grayii</i>
Eastern Cattle Egret	<i>Bubulcus coromandus</i>
Grey Heron	<i>Ardea cinerea</i>
Purple Heron	<i>Ardea purpurea</i>
Great Egret	<i>Ardea alba</i>
Intermediate Egret	<i>Ardea intermedia</i>
Little Egret	<i>Egretta garzetta</i>
<b>Pelicans (Pelecanidae)</b>	
Spot-billed Pelican - NT	<i>Pelecanus philippensis</i>
<b>Cormorants, Shags (Phalacrocoracidae)</b>	
Little Cormorant	<i>Microcarbo niger</i>
Great Cormorant	<i>Phalacrocorax carbo</i>



Common Name	Scientific Name
<b>Anhingas, Darters (Anhingidae)</b>	
Oriental Darter - NT	<i>Anhinga melanogaster</i>
<b>Ospreys (Pandionidae)</b>	
Western Osprey	<i>Pandion haliaetus</i>
<b>Kites, Hawks, Eagles (Accipitridae)</b>	
Black-winged Kite	<i>Elanus caeruleus</i>
Crested Honey Buzzard	<i>Pernis ptilorhynchus</i>
Crested Serpent Eagle	<i>Spilornis cheela</i>
Changeable Hawk-Eagle	<i>Nisaetus cirrhatus</i>
Black Eagle	<i>Ictinaetus malaiensis</i>
Steppe Eagle - EN	<i>Aquila nipalensis</i>
Crested Goshawk	<i>Accipiter trivirgatus</i>
Shikra	<i>Accipiter badius</i>
Black Kite	<i>Milvus migrans</i>
Pallas's Fish Eagle - EN	<i>Haliaeetus leucoryphus</i>
Grey-headed Fish Eagle - NT	<i>Haliaeetus ichthyaeus</i>
<b>Rails, Crakes &amp; Coots (Rallidae)</b>	
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>
Grey-headed Swamphen	<i>Porphyrio poliocephalus</i>
Common Moorhen	<i>Gallinula chloropus</i>
Eurasian Coot	<i>Fulica atra</i>
<b>Stone-curlews, Thick-knees (Burhinidae)</b>	
Great Stone-curlew - NT	<i>Esacus recurvirostris</i>
<b>Stilts, Avocets (Recurvirostridae)</b>	
Pied Avocet	<i>Recurvirostra avosetta</i>
<b>Plovers (Charadriidae)</b>	
Grey-headed Lapwing	<i>Vanellus cinereus</i>
Red-wattled Lapwing	<i>Vanellus indicus</i>
Little Ringed Plover	<i>Charadrius dubius</i>
<b>Painted-snipes (Rostratulidae)</b>	

Common Name	Scientific Name
Greater Painted-snipe	<i>Rostratula benghalensis</i>
<b>Jacanas (Jacanidae)</b>	
Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>
Bronze-winged Jacana	<i>Metopidius indicus</i>
<b>Sandpipers, Snipes (Scolopacidae)</b>	
Temminck's Stint	<i>Calidris temminckii</i>
Common Snipe	<i>Gallinago gallinago</i>
Common Sandpiper	<i>Actitis hypoleucos</i>
Green Sandpiper	<i>Tringa ochropus</i>
Common Redshank	<i>Tringa totanus</i>
Marsh Sandpiper	<i>Tringa stagnatilis</i>
Wood Sandpiper	<i>Tringa glareola</i>
Spotted Redshank	<i>Tringa erythropus</i>
Common Greenshank	<i>Tringa nebularia</i>
<b>Courasers, Pratincoles (Glareolidae)</b>	
Small Pratincole	<i>Glareola lactea</i>
<b>Gulls, Terns, Skimmers (Laridae)</b>	
River Tern - NT	<i>Sterna aurantia</i>
Whiskered Tern	<i>Chlidonias hybrida</i>
<b>Pigeons, Doves (Columbidae)</b>	
Rock Dove	<i>Columba livia</i>
Oriental Turtle Dove	<i>Streptopelia orientalis</i>
Eurasian Collared Dove	<i>Streptopelia decaocto</i>
Red Turtle Dove	<i>Streptopelia tranquebarica</i>
Spotted Dove	<i>Spilopelia chinensis</i>
Barred Cuckoo-Dove	<i>Macropygia unchall</i>
Common Emerald Dove	<i>Chalcophaps indica</i>
Yellow-footed Green Pigeon	<i>Treron phoenicopterus</i>
Pin-tailed Green Pigeon	<i>Treron apicauda</i>
Wedge-tailed Green Pigeon	<i>Treron sphenurus</i>
Green Imperial Pigeon	<i>Ducula aenea</i>
Mountain Imperial Pigeon (H)	<i>Ducula badia</i>



Common Name	Scientific Name
<b>Cuckoos (Cuculidae)</b>	
Greater Coucal	<i>Centropus sinensis</i>
Lesser Coucal	<i>Centropus bengalensis</i>
Green-billed Malkoha	<i>Phaenicophaeus tristis</i>
Asian Koel	<i>Eudynamys scolopaceus</i>
Banded Bay Cuckoo	<i>Cacomantis sonneratii</i>
Plaintive Cuckoo	<i>Cacomantis merulinus</i>
Large Hawk-Cuckoo (H)	<i>Hierococcyx sparverioides</i>
Common Hawk-Cuckoo	<i>Hierococcyx varius</i>
Indian Cuckoo	<i>Cuculus micropterus</i>
<b>Owls (Strigidae)</b>	
Mountain Scops Owl (H)	<i>Otus spilocephalus</i>
Oriental Scops Owl (H)	<i>Otus sunia</i>
Dusky Eagle-Owl	<i>Bubo coromandus</i>
Collared Owlet (H)	<i>Glaucidium brodiei</i>
Asian Barred Owlet	<i>Glaucidium cuculoides</i>
Spotted Owlet	<i>Athene brama</i>
Brown Hawk-Owl	<i>Ninox scutulata</i>
<b>Frogmouths (Podargidae)</b>	
Hodgson's Frogmouth (H)	<i>Batrachostomus hodgsoni</i>
<b>Nightjars (Caprimulgidae)</b>	
Grey Nightjar	<i>Caprimulgus jotaka</i>
Savanna Nightjar	<i>Caprimulgus affinis</i>
<b>Swifts (Apodidae)</b>	
Himalayan Swiftlet	<i>Aerodramus brevirostris</i>
Asian Palm Swift	<i>Cypsiurus balasiensis</i>
House Swift	<i>Apus nipalensis</i>
<b>Trogon (Trogonidae)</b>	
Ward's Trogon - NT	<i>Harpactes wardi</i>
<b>Rollers (Coraciidae)</b>	

Common Name	Scientific Name
Indian Roller	<i>Coracias benghalensis</i>
Oriental Dollarbird	<i>Eurystomus orientalis</i>
<b>Kingfishers (Alcedinidae)</b>	
Stork-billed Kingfisher	<i>Pelargopsis capensis</i>
White-throated Kingfisher	<i>Halcyon smyrnensis</i>
Common Kingfisher	<i>Alcedo atthis</i>
Pied Kingfisher	<i>Ceryle rudis</i>
<b>Bee-eaters (Meropidae)</b>	
Blue-bearded Bee-eater	<i>Nyctyornis athertoni</i>
Green Bee-eater	<i>Merops orientalis</i>
Blue-tailed Bee-eater	<i>Merops philippinus</i>
Chestnut-headed Bee-eater	<i>Merops leschenaulti</i>
<b>Hoopoes (Upupidae)</b>	
Eurasian Hoopoe	<i>Upupa epops</i>
<b>Hornbills (Bucerotidae)</b>	
Great Hornbill - VU	<i>Buceros bicornis</i>
Oriental Pied Hornbill	<i>Anthracoceros albirostris</i>
Wreathed Hornbill - VU	<i>Rhyticeros undulatus</i>
<b>Asian Barbets (Megalaimidae)</b>	
Great Barbet	<i>Psilopogon virens</i>
Lineated Barbet	<i>Psilopogon lineatus</i>
Golden-throated Barbet (H)	<i>Psilopogon franklinii</i>
Blue-throated Barbet	<i>Psilopogon asiaticus</i>
Blue-eared Barbet	<i>Psilopogon duvaucelii</i>
Coppersmith Barbet	<i>Psilopogon haemacephalus</i>
<b>Honeyguides (Indicatoridae)</b>	
Yellow-rumped Honeyguide - NT	<i>Indicator xanthonotus</i>
<b>Woodpeckers (Picidae)</b>	
White-browed Piculet	<i>Sasia ochracea</i>
Grey-capped Pygmy Woodpecker	<i>Yungipicus canicapillus</i>

<b>Common Name</b>	<b>Scientific Name</b>
Crimson-breasted Woodpecker	<i>Dryobates cathpharius</i>
Rufous-bellied Woodpecker	<i>Dendrocopos hyperythrus</i>
Fulvous-breasted Woodpecker	<i>Dendrocopos macei</i>
Darjeeling Woodpecker	<i>Dendrocopos darjellensis</i>
Lesser Yellownape	<i>Picus chlorolophus</i>
Streak-throated Woodpecker	<i>Picus xanthopygaeus</i>
Black-rumped Flameback	<i>Dinopium benghalense</i>
Greater Flameback	<i>Chrysocolaptes guttacristatus</i>
Bay Woodpecker (H)	<i>Blythipicus pyrrhotis</i>
<b>Caracaras, Falcons (Falconidae)</b>	
Common Kestrel	<i>Falco tinnunculus</i>
<b>Old World Parrots (Psittaculidae)</b>	
Blossom-headed Parakeet - NT	<i>Psittacula roseata</i>
Red-breasted Parakeet - NT	<i>Psittacula alexandri</i>
Alexandrine Parakeet - NT	<i>Psittacula eupatria</i>
Rose-ringed Parakeet	<i>Psittacula krameri</i>
Vernal Hanging Parrot	<i>Loriculus vernalis</i>
<b>Pittas (Pittidae)</b>	
Blue-naped Pitta (H)	<i>Hydrornis nipalensis</i>
Indian Pitta (H)	<i>Pitta brachyura</i>
<b>Vangas &amp; Allies (Vangidae)</b>	
Common Woodshrike	<i>Tephrodornis pondicerianus</i>
<b>Woodswallows, Butcherbirds &amp; Allies (Artamidae)</b>	
Ashy Woodswallow	<i>Artamus fuscus</i>
<b>Ioras (Aegithinidae)</b>	
Common Iora	<i>Aegithina tiphia</i>
<b>Cuckooshrikes (Campephagidae)</b>	
Small Minivet	<i>Pericrocotus cinnamomeus</i>
Grey-chinned Minivet	<i>Pericrocotus solaris</i>
Short-billed Minivet	<i>Pericrocotus brevirostris</i>



<b>Common Name</b>	<b>Scientific Name</b>
Long-tailed Minivet	<i>Pericrocotus ethologus</i>
Scarlet Minivet	<i>Pericrocotus speciosus</i>
Large Cuckooshrike	
Black-winged Cuckooshrike	<i>Lalage melaschistos</i>
<b>Shrikes (Laniidae)</b>	
Brown Shrike	<i>Lanius cristatus</i>
Long-tailed Shrike	<i>Lanius schach</i>
Grey-backed Shrike	<i>Lanius tephronotus</i>
<b>Vireos, Greenlets, Shrike-babblers (Vireonidae)</b>	
Black-headed Shrike-babbler	<i>Pteruthius rufiventer</i>
Blyth's Shrike-babbler	<i>Pteruthius aeralatus</i>
Green Shrike-babbler	<i>Pteruthius xanthochlorus</i>
Black-eared Shrike-babbler	<i>Pteruthius melanotis</i>
<b>Figbirds, Orioles, Turnagra (Oriolidae)</b>	
Black-hooded Oriole	<i>Oriolus xanthornus</i>
Maroon Oriole	<i>Oriolus traillii</i>
<b>Drongos (Dicruridae)</b>	
Black Drongo	<i>Dicrurus macrocercus</i>
Ashy Drongo	<i>Dicrurus leucophaeus</i>
Bronzed Drongo	<i>Dicrurus aeneus</i>
Lesser Racket-tailed Drongo	<i>Dicrurus remifer</i>
Hair-crested Drongo	<i>Dicrurus hottentottus</i>
<b>Fantails (Rhipiduridae)</b>	
White-throated Fantail	<i>Rhipidura albicollis</i>
<b>Crows, Jays (Corvidae)</b>	
Rufous Treepie	<i>Dendrocitta vagabunda</i>
Spotted Nutcracker	<i>Nucifraga caryocatactes</i>
House Crow	<i>Corvus splendens</i>
Large-billed Crow	<i>Corvus macrorhynchos</i>
Eastern Jungle Crow	<i>Corvus levaillantii</i>

Common Name	Scientific Name
<b>Fairy Flycatchers (Stenostiridae)</b>	
Yellow-bellied Fantail	<i>Chelidorhynch hypoxanthus</i>
Grey-headed Canary-flycatcher	<i>Culicicapa ceylonensis</i>
<b>Tits, Chickadees (Paridae)</b>	
Yellow-browed Tit	<i>Sylviparus modestus</i>
Sultan Tit	<i>Melanochlora sultanea</i>
Cinereous Tit	<i>Parus cinereus</i>
Green-backed Tit	<i>Parus monticolus</i>
Yellow-cheeked Tit	<i>Machlolophus sillonotus</i>
<b>Larks (Alaudidae)</b>	
Bengal Bush Lark	<i>Mirafra assamica</i>
Sand Lark	<i>Alaudala raytal</i>
<b>Bulbuls (Pycnonotidae)</b>	
Striated Bulbul	<i>Pycnonotus striatus</i>
Black-crested Bulbul	<i>Pycnonotus flaviventris</i>
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>
Red-vented Bulbul	<i>Pycnonotus cafer</i>
Black Bulbul	<i>Hypsipetes leucocephalus</i>
<b>Swallows, Martins (Hirundinidae)</b>	
Grey-throated Martin	<i>Riparia chinensis</i>
Sand Martin	<i>Riparia riparia</i>
Barn Swallow	<i>Hirundo rustica</i>
Dusky Crag Martin	<i>Ptyonoprogne concolor</i>
Nepal House Martin	<i>Delichon nipalense</i>
Red-rumped Swallow	<i>Cecropis daurica</i>
Striated Swallow	<i>Cecropis striolata</i>
<b>Cupwings (Pnoepyidae)</b>	
Scaly-breasted Cupwing	<i>Pnoepyga albiventer</i>
Pygmy Cupwing	<i>Pnoepyga pusilla</i>
<b>Cettia Bush Warblers &amp; Allies (Cettiidae)</b>	
Yellow-bellied Warbler	<i>Abroscopus superciliaris</i>

<b>Common Name</b>	<b>Scientific Name</b>
Black-faced Warbler	<i>Abroscopus schisticeps</i>
Broad-billed Warbler (H)	<i>Tickellia hodgsoni</i>
Brown-flanked Bush Warbler	<i>Horornis fortipes</i>
Slaty-bellied Tesia	<i>Tesia olivea</i>
Chestnut-headed Tesia	<i>Cettia castaneocoronata</i>
<b>Bushtits (Aegithalidae)</b>	
Black-throated Bushtit	<i>Aegithalos concinnus</i>
<b>Leaf Warblers &amp; Allies (Phylloscopidae)</b>	
Buff-barred Warbler	<i>Phylloscopus pulcher</i>
Ashy-throated Warbler	<i>Phylloscopus maculipennis</i>
Hume's Leaf Warbler	<i>Phylloscopus humei</i>
Yellow-browed Warbler	<i>Phylloscopus inornatus</i>
Lemon-rumped Warbler	<i>Phylloscopus chloronotus</i>
Tickell's Leaf Warbler	<i>Phylloscopus affinis</i>
Dusky Warbler	<i>Phylloscopus fuscatus</i>
Grey-cheeked Warbler	<i>Phylloscopus poliogenys</i>
Whistler's Warbler	<i>Phylloscopus whistleri</i>
Greenish Warbler	<i>Phylloscopus trochiloides</i>
Large-billed Leaf Warbler	<i>Phylloscopus magnirostris</i>
Chestnut-crowned Warbler	<i>Phylloscopus castaniceps</i>
Blyth's Leaf Warbler	<i>Phylloscopus reguloides</i>
<b>Reed Warblers &amp; Allies (Acrocephalidae)</b>	
Clamorous Reed Warbler	<i>Acrocephalus stentoreus</i>
Blyth's Reed Warbler	<i>Acrocephalus dumetorum</i>
Thick-billed Warbler	<i>Arundinax aedon</i>
<b>Grassbirds &amp; Allies (Locustellidae)</b>	
Russet Bush Warbler (H)	<i>Locustella mandelli</i>
Striated Grassbird	<i>Megalurus palustris</i>
<b>Cisticolas &amp; Allies (Cisticolidae)</b>	
Zitting Cisticola	<i>Cisticola juncidis</i>
Golden-headed Cisticola	<i>Cisticola exilis</i>
Black-throated Prinia	<i>Prinia atrogularis</i>



Common Name	Scientific Name
Ashy Prinia	<i>Prinia socialis</i>
Plain Prinia	<i>Prinia inornata</i>
Common Tailorbird	<i>Orthotomus sutorius</i>
<b>Babblers, Scimitar Babblers (Timaliidae)</b>	
Streak-breasted Scimitar Babbler	<i>Pomatorhinus ruficollis</i>
Coral-billed Scimitar Babbler	<i>Pomatorhinus ferruginosus</i>
Slender-billed Scimitar Babbler	<i>Pomatorhinus superciliaris</i>
Rufous-throated Wren-Babbler - NT	<i>Spelaornis caudatus</i>
Bar-winged Wren-Babbler	<i>Spelaornis troglodytoides</i>
Sikkim Wedge-billed Babbler - NT	<i>Sphenocichla humei</i>
Grey-throated Babbler	<i>Stachyris nigriceps</i>
Rufous-capped Babbler	<i>Stachyridopsis ruficeps</i>
Golden Babbler	<i>Stachyridopsis chrysaea</i>
Pin-striped Tit-Babbler	<i>Macronus gularis</i>
Chestnut-capped Babbler	<i>Timalia pileata</i>
<b>Fulvettas, Ground Babblers (Pellorneidae)</b>	
Yellow-throated Fulvetta	<i>Alcippe cinerea</i>
Rufous-winged Fulvetta	<i>Alcippe castaneiceps</i>
Nepal Fulvetta (H)	<i>Alcippe nipalensis</i>
Indian Grassbird - NT	<i>Graminicola bengalensis</i>
Puff-throated Babbler	<i>Pellorneum ruficeps</i>
<b>Laughingthrushes &amp; Allies (Leiothrichidae)</b>	
Striated Laughingthrush	<i>Grammatoptila striata</i>
Himalayan Cutia	<i>Cutia nipalensis</i>
Scaly Laughingthrush	<i>Trochalopteron subunicolor</i>
Blue-winged Laughingthrush	<i>Trochalopteron squamatum</i>
Black-faced Laughingthrush	<i>Trochalopteron affine</i>
Chestnut-crowned Laughingthrush	<i>Trochalopteron erythrocephalum</i>
Bhutan Laughingthrush	<i>Trochalopteron imbricatum</i>
Bar-throated Minla	<i>Actinodura strigula</i>
Rusty-fronted Barwing	<i>Actinodura egertoni</i>
Hoary-throated Barwing	<i>Actinodura nipalensis</i>
Streak-throated Barwing	<i>Actinodura waldeni</i>
Red-tailed Minla	<i>Minla ignotincta</i>

Common Name	Scientific Name
Silver-eared Mesia (H)	<i>Leiothrix argentauris</i>
Red-faced Liocichla	<i>Liocichla phoenicea</i>
<b>Bugun Liocichla - CR</b>	<b><i>Liocichla bugunorum</i></b>
Beautiful Sibia	<i>Heterophasia pulchella</i>
Long-tailed Sibia	<i>Heterophasia picaoides</i>
Striated Babbler	<i>Argya earlei</i>
Jungle Babbler	<i>Argya striata</i>
Slender-billed Babbler (H) - VU	<i>Argya longirostris</i>
Spotted Laughingthrush	<i>Ianthocincla ocellata</i>
Rufous-necked Laughingthrush	<i>Pterorhinus ruficollis</i>
White-throated Laughingthrush	<i>Pterorhinus albogularis</i>
<b>Sylviid Babblers (Sylviidae)</b>	
Fire-tailed Myzornis	<i>Myzornis pyrrhoura</i>
Golden-breasted Fulvetta	<i>Lioparus chrysotis</i>
White-breasted Parrotbill	<i>Psittiparus ruficeps</i>
<b>White-eyes (Zosteropidae)</b>	
White-naped Yuhina	<i>Yuhina bakeri</i>
Whiskered Yuhina	<i>Yuhina flavicollis</i>
Stripe-throated Yuhina	<i>Yuhina gularis</i>
Rufous-vented Yuhina	<i>Yuhina occipitalis</i>
Indian White-eye	<i>Zosterops palpebrosus</i>
<b>Fairy-bluebirds (Irenidae)</b>	
Asian Fairy-bluebird	<i>Irena puella</i>
<b>Elachura (Elachuridae)</b>	
Spotted Elachura	<i>Elachura formosa</i>
<b>Nuthatches (Sittidae)</b>	
White-tailed Nuthatch	<i>Sitta himalayensis</i>
Velvet-fronted Nuthatch	<i>Sitta frontalis</i>
Beautiful Nuthatch - VU	<i>Sitta formosa</i>
<b>Treecreepers (Certhiidae)</b>	
Sikkim Treecreeper	<i>Certhia discolor</i>

Common Name	Scientific Name
<b>Starlings, Rhabdornis (Sturnidae)</b>	
Common Hill Myna	<i>Gracula religiosa</i>
Great Myna	<i>Acridotheres grandis</i>
Jungle Myna	<i>Acridotheres fuscus</i>
Bank Myna	<i>Acridotheres ginginianus</i>
Common Myna	<i>Acridotheres tristis</i>
Pied Myna	<i>Gracupica contra</i>
Chestnut-tailed Starling	<i>Sturnia malabarica</i>
<b>Thrushes (Turdidae)</b>	
Alpine Thrush	<i>Zoothera mollissima</i>
White-collared Blackbird	<i>Turdus albocinctus</i>
Grey-winged Blackbird	<i>Turdus boulboul</i>
<b>Chats, Old World Flycatchers (Muscicapidae)</b>	
Oriental Magpie-Robin	<i>Copsychus saularis</i>
White-rumped Shama	<i>Copsychus malabaricus</i>
Dark-sided Flycatcher	<i>Muscicapa sibirica</i>
Pale-chinned Blue Flycatcher	<i>Cyornis poliogenys</i>
Large Niltava	<i>Niltava grandis</i>
Verditer Flycatcher	<i>Eumyias thalassinus</i>
Lesser Shortwing	<i>Brachypteryx leucophris</i>
Bluethroat	<i>Luscinia svecica</i>
Siberian Rubythroat	<i>Calliope calliope</i>
Himalayan Bluetail	<i>Tarsiger rufilatus</i>
Spotted Forktail	<i>Enicurus maculatus</i>
Blue Whistling Thrush	<i>Myophonus caeruleus</i>
Blue-fronted Robin (H)	<i>Cinclidium frontale</i>
Rufous-gorgeted Flycatcher	<i>Ficedula strophciata</i>
Taiga Flycatcher	<i>Ficedula albicilla</i>
Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>
Little Pied Flycatcher	<i>Ficedula westermanni</i>
Sapphire Flycatcher	<i>Ficedula sapphira</i>
Pygmy Flycatcher	<i>Muscicapella hodgsoni</i>
Plumbeous Water Redstart	<i>Phoenicurus fuliginosus</i>
Blue Rock Thrush	<i>Monticola solitarius</i>



<b>Common Name</b>	<b>Scientific Name</b>
Chestnut-bellied Rock Thrush	<i>Monticola rufiventris</i>
Blue-capped Rock Thrush	<i>Monticola cinclorhyncha</i>
Siberian Stonechat	<i>Saxicola maurus</i>
Grey Bush Chat	<i>Saxicola ferreus</i>
<b>Leafbirds (Chloropseidae)</b>	
Golden-fronted Leafbird	<i>Chloropsis aurifrons</i>
Orange-bellied Leafbird	<i>Chloropsis hardwickii</i>
<b>Flowerpeckers (Dicaeidae)</b>	
Yellow-vented Flowerpecker	<i>Dicaeum chrysorrheum</i>
Pale-billed Flowerpecker	<i>Dicaeum erythrorhynchos</i>
Fire-breasted Flowerpecker	<i>Dicaeum ignipectus</i>
Scarlet-backed Flowerpecker	<i>Dicaeum cruentatum</i>
<b>Sunbirds (Nectariniidae)</b>	
Green-tailed Sunbird	<i>Aethopyga nipalensis</i>
Black-throated Sunbird	<i>Aethopyga saturata</i>
Crimson Sunbird	<i>Aethopyga siparaja</i>
Fire-tailed Sunbird	<i>Aethopyga ignicauda</i>
Streaked Spiderhunter	<i>Arachnothera magna</i>
<b>Old World Sparrows, Snowfinches (Passeridae)</b>	
House Sparrow	<i>Passer domesticus</i>
Eurasian Tree Sparrow	<i>Passer montanus</i>
<b>Weavers, Widowbirds (Ploceidae)</b>	
Black-breasted Weaver	<i>Ploceus benghalensis</i>
Baya Weaver	<i>Ploceus philippinus</i>
Finn's Weaver - VU	<i>Ploceus megarhynchus</i>
<b>Waxbills, Munias &amp; Allies (Estrildidae)</b>	
White-rumped Munia	<i>Lonchura striata</i>
<b>Accentors (Prunellidae)</b>	
Rufous-breasted Accentor	<i>Prunella strophciata</i>

Common Name	Scientific Name
<b>Wagtails, Pipits (Motacillidae)</b>	
Western Yellow Wagtail	<i>Motacilla flava</i>
Citrine Wagtail	<i>Motacilla citreola</i>
Grey Wagtail	<i>Motacilla cinerea</i>
White Wagtail	<i>Motacilla alba</i>
White-browed Wagtail	<i>Motacilla maderaspatensis</i>
Paddyfield Pipit	<i>Anthus rufulus</i>
Blyth's Pipit	<i>Anthus godlewskii</i>
Olive-backed Pipit	<i>Anthus hodgsoni</i>
Rosy Pipit	<i>Anthus roseatus</i>
<b>Finches, Euphonias (Fringillidae)</b>	
Red-headed Bullfinch	<i>Pyrrhula erythrocephala</i>
Grey-headed Bullfinch	<i>Pyrrhula erythaca</i>
Golden-naped Finch	<i>Pyrrhoplectes epauletta</i>
Yellow-breasted Greenfinch	<i>Chloris spinoides</i>
<b>Buntings (Emberizidae)</b>	
Little Bunting	<i>Emberiza pusilla</i>
<b>Total seen</b>	<b>335</b>
Total heard only	18
Total recorded	353

### Mammal List

Common Name	Scientific Name
<b>Weasels, Martens, Skunks, Badgers, and Otters (Mustelidae)</b>	
Smooth-coated Otter	<i>Lutrogale perspicillata</i>
<b>Bovids (Bovidae)</b>	
Wild Water Buffalo	<i>Bubalus arnee</i>
Domestic Water Buffalo	<i>Bubalus bubalis</i>
<b>Deer (Cervidae)</b>	
Hog Deer	<i>Axis porcinus</i>

Common Name	Scientific Name
Northern Red Muntjac	<i>Muntiacus vaginalis</i>
Barasingha	<i>Rucervus duvaucelii</i>
Sambar	<i>Rusa unicolor</i>
<b>Pigs (Suidae)</b>	
Wild Boar	<i>Sus scrofa</i>
<b>Old World Fruit Bats (Pteropodidae)</b>	
Indian Flying Fox	<i>Pteropus giganteus</i>
<b>Rhinoceros (Rhinocerotidae)</b>	
Indian Rhinoceros	<i>Rhinoceros unicornis</i>
<b>Old World Monkeys (Cercopithecidae)</b>	
Rhesus Monkey	<i>Macaca mulatta</i>
Arunachal Macaque	<i>Macaca munzala</i>
Capped Langur	<i>Trachypithecus pileatus</i>
<b>Elephants (Elephantidae)</b>	
Asian Elephant	<i>Elephas maximus</i>
<b>Squirrels (Sciuridae)</b>	
Hoary-bellied Squirrel	<i>Callosciurus pygerythrus</i>
Black Giant Squirrel	<i>Ratufa bicolor</i>
Himalayan Striped Squirrel	<i>Tamiops macclellandii</i>
<b>Total Seen</b>	<b>17</b>

### Reptile List

Common Name	Scientific Name
<b>Monitors (Varanidae)</b>	
Common Indian Monitor	<i>Varanus bengalensis</i>
<b>Gekkonidae (Geckos)</b>	
Common House Gecko	<i>Hemidactylus frenatus</i>
Tokay Gecko	<i>Gekko gekko</i>

Common Name	Scientific Name
<b>Venomous Snakes (Elapidae)</b>	
King Cobra	<i>Ophiophagus hannah</i>
<b>Pond and River Turtles (Geoemydidae)</b>	
Assam Roofed Turtle	<i>Pangshura sylhetensis</i>
Spotted Pond Turtle	<i>Geoclemys hamiltonii</i>
<b>Total Seen</b>	<b>6</b>